

Terrestrial Passive Acoustic Monitoring Bibliography

2008

Sueur, J., Pavoine, S., Hamerlynck, O., & Duvail, S. (2008). Rapid acoustic survey for biodiversity appraisal. *PloS one*, 3(12), e4065.

2009

Celis-Murillo, A., Deppe, J. L., & Allen, M. F. (2009). Using soundscape recordings to estimate bird species abundance, richness, and composition. *Journal of Field Ornithology*, 80(1), 64-78.

2010

Thompson, M. E., Schwager, S. J., Payne, K. B., & Turkalo, A. K. (2010). Acoustic estimation of wildlife abundance: Methodology for vocal mammals in forested habitats. *African Journal of Ecology*, 48(3), 654-661.

2011

Blumstein, D. T., Mennill, D. J., Clemins, P., Girod, L., Yao, K., Patricelli, G., ... & Kirschel, A. N. (2011). Acoustic monitoring in terrestrial environments using microphone arrays: Applications, technological considerations and prospectus. *Journal of Applied Ecology*, 48(3), 758-767.

Farina, A., Pieretti, N., & Piccioli, L. (2011). The soundscape methodology for long-term bird monitoring: A Mediterranean Europe case-study. *Ecological Informatics*, 6(6), 354-363.

Pieretti, N., Farina, A., & Morri, D. (2011). A new methodology to infer the singing activity of an avian community: The Acoustic Complexity Index (ACI). *Ecological Indicators*, 11(3), 868-873.

Pijanowski, B. C., Farina, A., Gage, S. H., Dumyahn, S. L., & Krause, B. L. (2011). What is soundscape ecology? An introduction and overview of an emerging new science. *Landscape Ecology*, 26(9), 1213-1232.

Villanueva-Rivera, L. J., Pijanowski, B. C., Doucette, J., & Pekin, B. (2011). A primer of acoustic analysis for landscape ecologists. *Landscape Ecology*, 26(9), 1233-1246.

2012

Depraetere, M., Pavoine, S., Jiguet, F., Gasc, A., Duvail, S., & Sueur, J. (2012). Monitoring animal diversity using acoustic indices: Implementation in a temperate woodland. *Ecological Indicators*, 13(1), 46-54.

2013

Aide, T. M., Corrada-Bravo, C., Campos-Cerqueira, M., Milan, C., Vega, G., & Alvarez, R. (2013). Real-time bioacoustics monitoring and automated species identification. *PeerJ*, 1, e103.

Gasc, A., Sueur, J., Jiguet, F., Devictor, V., Grandcolas, P., Burrow, C., ... & Pavoine, S. (2013). Assessing biodiversity with sound: Do acoustic diversity indices reflect phylogenetic and functional diversities of bird communities? *Ecological Indicators*, 25, 279-287.

Marques, T. A., Thomas, L., Martin, S. W., Mellinger, D. K., Ward, J. A., Moretti, D. J., ... & Tyack, P. L. (2013). Estimating animal population density using passive acoustics. *Biological Reviews*, 88(2), 287-309.

Tucker, D., Gage, S. H., Williamson, I., & Fuller, S. (2014). Linking ecological condition and the soundscape in fragmented Australian forests. *Landscape Ecology*, 29(4), 745-758.

2014

- Oppel, S., Hervias, S., Oliveira, N., Pipa, T., Silva, C., Geraldés, P., ... & McKown, M. (2014). Estimating population size of a nocturnal burrow-nesting seabird using acoustic monitoring and habitat mapping. *Nature Conservation*, 7, 1-13.
- Ross, J. C., & Allen, P. E. (2014). Random forest for improved analysis efficiency in passive acoustic monitoring. *Ecological Informatics*, 21, 34-39.
- Sueur, J., Farina, A., Gasc, A., Pieretti, N., & Pavoine, S. (2014). Acoustic indices for biodiversity assessment and landscape investigation. *Acta Acustica united with Acustica*, 100(4), 772-781.
- Tucker, D., Gage, S. H., Williamson, I., & Fuller, S. (2014). Linking ecological condition and the soundscape in fragmented Australian forests. *Landscape Ecology*, 29(4), 745-758.

2015

- Alquezar, R. D., & Machado, R. B. (2015). Comparisons between autonomous acoustic recordings and avian point counts in open woodland savanna. *The Wilson Journal of Ornithology*, 127(4), 712-723.
- Borker, A. L., Halbert, P., Mckown, M. W., Tershy, B. R., & Croll, D. A. (2015). A comparison of automated and traditional monitoring techniques for marbled murrelets using passive acoustic sensors. *Wildlife Society Bulletin*, 39(4), 813-818.
- Farina, A., Ceraulo, M., Bobryk, C., Pieretti, N., Quinci, E., & Lattanzi, E. (2015). Spatial and temporal variation of bird dawn chorus and successive acoustic morning activity in a Mediterranean landscape. *Bioacoustics*, 24(3), 269-288.
- Florentin, J., Fauville, B., Gérard, M., Moïny, F., Rasmont, P., Kouroussis, G., & Verlinden, O. (2015). Soundscape analysis and wildlife presence in the vicinity of a wind turbine. *Proceedings of Euronoise 2015*.
- Fuller, S., Axel, A. C., Tucker, D., & Gage, S. H. (2015). Connecting soundscape to landscape: Which acoustic index best describes landscape configuration? *Ecological Indicators*, 58, 207-215.
- Heinicke, S., Kalan, A. K., Wagner, O. J., Mundry, R., Lukashevich, H., & Köhl, H. S. (2015). Assessing the performance of a semi-automated acoustic monitoring system for primates. *Methods in Ecology and Evolution*, 6(7), 753-763.
- Kalan, A. K., Mundry, R., Wagner, O. J., Heinicke, S., Boesch, C., & Köhl, H. S. (2015). Towards the automated detection and occupancy estimation of primates using passive acoustic monitoring. *Ecological Indicators*, 54, 217-226.
- Pieretti, N., Duarte, M. H. L., Sousa-Lima, R. S., Rodrigues, M., Young, R. J., & Farina, A. (2015). Determining temporal sampling schemes for passive acoustic studies in different tropical ecosystems. *Tropical Conservation Science*, 8(1), 215-234.
- Sedláček, O., Vokurková, J., Ferenc, M., Djomo, E. N., Albrecht, T., & Hořák, D. (2015). A comparison of point counts with a new acoustic sampling method: A case study of a bird community from the montane forests of Mount Cameroon. *Ostrich*, 86(3), 213-220.
- Spillmann, B., van Noordwijk, M. A., Willems, E. P., Mitra Setia, T., Wipfli, U., & van Schaik, C. P. (2015). Validation of an acoustic location system to monitor Bornean orangutan (*Pongo pygmaeus wurmbii*) long calls. *American Journal of Primatology*, 77(7), 767-776.
- Stevenson, B. C., Borchers, D. L., Altwegg, R., Swift, R. J., Gillespie, D. M., & Measey, G. J. (2015). A general framework for animal density estimation from acoustic detections across a fixed microphone array. *Methods in Ecology and Evolution*, 6(1), 38-48.
- Sueur, J., & Farina, A. (2015). Ecoacoustics: The ecological investigation and interpretation of environmental sound. *Biosemiotics*, 8(3), 493-502.

2016

- Bobryk, C. W., Rega-Brodsky, C. C., Bardhan, S., Farina, A., He, H. S., & Jose, S. (2016). A rapid soundscape analysis to quantify conservation benefits of temperate agroforestry systems using low-cost technology. *Agroforestry Systems*, 90(6), 997-1008.
- Campos-Cerqueira, M., & Aide, T. M. (2016). Improving distribution data of threatened species by combining acoustic monitoring and occupancy modelling. *Methods in Ecology and Evolution*, 7(11), 1340-1348.
- Darras, K., Pütz, P., Rembold, K., & Tschamtko, T. (2016). Measuring sound detection spaces for acoustic animal sampling and monitoring. *Biological Conservation*, 201, 29-37.
- Eldridge, A., Casey, M., Moscoso, P., & Peck, M. (2016). A new method for ecoacoustics? Toward the extraction and evaluation of ecologically-meaningful soundscape components using sparse coding methods. *PeerJ*, 4, e2108.
- Kalan, A. K., Piel, A. K., Mundry, R., Wittig, R. M., Boesch, C., & Köhl, H. S. (2016). Passive acoustic monitoring reveals group ranging and territory use: A case study of wild chimpanzees (*Pan troglodytes*). *Frontiers in Zoology*, 13(1), 34.
- Krause, B., & Farina, A. (2016). Using ecoacoustic methods to survey the impacts of climate change on biodiversity. *Biological Conservation*, 195, 245-254.
- Leach, E. C., Burwell, C. J., Ashton, L. A., Jones, D. N., & Kitching, R. L. (2016). Comparison of point counts and automated acoustic monitoring: detecting birds in a rainforest biodiversity survey. *Emu*, 116(3), 305-309.
- Russo, D., & Voigt, C. C. (2016). The use of automated identification of bat echolocation calls in acoustic monitoring: A cautionary note for a sound analysis. *Ecological Indicators*, 66, 598-602.

2017

- Aide, T. M., Hernández-Serna, A., Campos-Cerqueira, M., Acevedo-Charry, O., & Deichmann, J. L. (2017). Species richness (of insects) drives the use of acoustic space in the tropics. *Remote Sensing*, 9(11), 1096.
- Astaras, C., Linder, J. M., Wrege, P., Orume, R. D., & Macdonald, D. W. (2017). Passive acoustic monitoring as a law enforcement tool for Afrotropical rainforests. *Frontiers in Ecology and the Environment*, 15(5).
- Bas, Y., Bas, D., & Julien, J. F. (2017). Tadarida: A toolbox for animal detection on acoustic recordings. *Journal of Open Research Software*, 5(1).
- Bravo, C. J. C., Berríos, R. Á., & Aide, T. M. (2017). Species-specific audio detection: A comparison of three template-based detection algorithms using random forests. *PeerJ Computer Science*, 3, e113.
- Browning, E., Gibb, R., Glover-Kapfer, P., & Jones, K. E. (2017). Passive acoustic monitoring in ecology and conservation. *World Wildlife Fund Conservation Technology Series*, 1, 2.
- Browning, E., Gibb, R., Glover-Kapfer, P., & Jones, K. E. (2017). Passive acoustic monitoring in ecology and conservation. *World Wildlife Fund Conservation Technology Series*, 1, 2.
- Deichmann, J. L., Hernández-Serna, A., Campos-Cerqueira, M., & Aide, T. M. (2017). Soundscape analysis and acoustic monitoring document impacts of natural gas exploration on biodiversity in a tropical forest. *Ecological Indicators*, 74, 39-48.
- Fairbrass, A. J., Rennert, P., Williams, C., Titheridge, H., & Jones, K. E. (2017). Biases of acoustic indices measuring biodiversity in urban areas. *Ecological Indicators*, 83, 169-177.
- Knight, E., Hannah, K., Foley, G., Scott, C., Brigham, R., & Bayne, E. (2017). Recommendations for acoustic recognizer performance assessment with application to five common automated signal recognition programs. *Avian Conservation and Ecology*, 12(2).

- Machado, R. B., Aguiar, L., & Jones, G. (2017). Do acoustic indices reflect the characteristics of bird communities in the savannas of Central Brazil? *Landscape and Urban Planning*, 162, 36-43.
- Mammides, C., Goodale, E., Dayananda, S. K., Kang, L., & Chen, J. (2017). Do acoustic indices correlate with bird diversity? Insights from two biodiverse regions in Yunnan Province, south China. *Ecological Indicators*, 82, 470-477.
- Rankin, L., & Axel, A. C. (2017). Biodiversity assessment in tropical biomes using ecoacoustics: Linking soundscape to forest structure in a human-dominated tropical dry forest in southern Madagascar. *Ecoacoustics*, 129-144.
- Sánchez-Gendriz, I., & Padovese, L. R. (2017). A methodology for analyzing biological choruses from long-term passive acoustic monitoring in natural areas. *Ecological Informatics*, 41, 1-10.
- Shonfield, J., & Bayne, E. (2017). Autonomous recording units in avian ecological research: current use and future applications. *Avian Conservation and Ecology*, 12(1).
- Vold, S. T., Handel, C. M., & McNew, L. B. (2017). Comparison of acoustic recorders and field observers for monitoring tundra bird communities. *Wildlife Society Bulletin*, 41(3), 566-576.

2018

- Burivalova, Z., Towsey, M., Boucher, T., Truskinger, A., Apelis, C., Roe, P., & Game, E. T. (2018). Using soundscapes to detect variable degrees of human influence on tropical forests in Papua New Guinea. *Conservation Biology*, 32(1), 205-215.
- Buxton, R. T., Agnihotri, S., Robin, V. V., Goel, A., & Balakrishnan, R. (2018). Acoustic indices as rapid indicators of avian diversity in different land-use types in an Indian biodiversity hotspot. *Journal of Ecoacoustics*, 2(1), 1-17.
- Buxton, R. T., Lendrum, P. E., Crooks, K. R., & Wittemyer, G. (2018). Pairing camera traps and acoustic recorders to monitor the ecological impact of human disturbance. *Global Ecology and Conservation*, 16, e00493.
- Buxton, R. T., McKenna, M. F., Clapp, M., Meyer, E., Stabenau, E., Angeloni, L. M., ... & Wittemyer, G. (2018). Efficacy of extracting indices from large-scale acoustic recordings to monitor biodiversity. *Conservation Biology*, 32(5), 1174-1184.
- Darras, K., Batáry, P., Furnas, B., Celis-Murillo, A., Van Wilgenburg, S. L., Mulyani, Y. A., & Tscharrntke, T. (2018). Comparing the sampling performance of sound recorders versus point counts in bird surveys: A meta-analysis. *Journal of Applied Ecology*, 55(6), 2575-2586.
- Darras, K., Kolbrek, B., Knorr, A., Meyer, V., Zippert, M., & Wenzel, A. (2018). Assembling cheap, high-performance microphones for recording terrestrial wildlife: The Sonitor system. *F1000Research*, 7.
- Eldridge, A., Guyot, P., Moscoso, P., Johnston, A., Eyre-Walker, Y., & Peck, M. (2018). Sounding out ecoacoustic metrics: Avian species richness is predicted by acoustic indices in temperate but not tropical habitats. *Ecological Indicators*, 95, 939-952.
- Ferreira, L. M., Oliveira, E. G., Lopes, L. C., Brito, M. R., Baumgarten, J., Rodrigues, F. H., & Sousa-Lima, R. S. (2018). What do insects, anurans, birds, and mammals have to say about soundscape indices in a tropical savanna? *Journal of Ecoacoustics*, 2, 1-17.
- Gasc, A., Gottesman, B. L., Francomano, D., Jung, J., Durham, M., Mateljak, J., & Pijanowski, B. C. (2018). Soundscapes reveal disturbance impacts: Biophonic response to wildfire in the Sonoran Desert Sky Islands. *Landscape Ecology*, 33(8), 1399-1415.
- Gómez, W. E., Isaza, C. V., & Daza, J. M. (2018). Identifying disturbed habitats: A new method from acoustic indices. *Ecological Informatics*, 45, 16-25.
- Mac Aodha, O., Gibb, R., Barlow, K. E., Browning, E., Firman, M., Freeman, R., ... & Pandourski, I. (2018). Bat detective - Deep learning tools for bat acoustic signal detection. *PLoS Computational Biology*, 14(3), e1005995.

- Ng, M. L., Butler, N., & Woods, N. (2018). Soundscapes as a surrogate measure of vegetation condition for biodiversity values: A pilot study. *Ecological Indicators*, 93, 1070-1080.
- Oliver, R. Y., Ellis, D. P., Chmura, H. E., Krause, J. S., Pérez, J. H., Sweet, S. K., ... & Boelman, N. T. (2018). Eavesdropping on the Arctic: Automated bioacoustics reveal dynamics in songbird breeding phenology. *Science Advances*, 4(6), eaaq1084.
- Phillips, Y. F., Towsey, M., & Roe, P. (2018). Revealing the ecological content of long-duration audio-recordings of the environment through clustering and visualisation. *PloS one*, 13(3), e0193345.
- Robakis, E., Watsa, M., & Erkenwick, G. (2018). Classification of producer characteristics in primate long calls using neural networks. *The Journal of the Acoustical Society of America*, 144(1), 344-353.
- Towsey, M., Znidarsic, E., Broken-Brow, J., Indraswari, K., Watson, D. M., Phillips, Y., ... & Street, G. (2018). Long-duration, false-colour spectrograms for detecting species in large audio datasets. *Journal of Ecoacoustics*, 2(1).
- Xie, J. J., Ding, C. Q., Li, W. B., & Cai, C. H. (2018). Audio-only bird species automated identification method with limited training data based on multi-channel deep convolutional neural networks. *arXiv preprint*, 1803.01107.

2019

- Bradfer-Lawrence, T., Gardner, N., Bunnefeld, L., Bunnefeld, N., Willis, S. G., & Dent, D. H. (2019). Guidelines for the use of acoustic indices in environmental research. *Methods in Ecology and Evolution*, 10(10), 1796-1807.
- Burivalova, Z., Wahyudi, B., Boucher, T. M., Ellis, P., Truskinger, A., Towsey, M., ... & Game, E. T. (2019). Using soundscapes to investigate homogenization of tropical forest diversity in selectively logged forests. *Journal of Applied Ecology*, 56(11), 2493-2504.
- Castro, I., De Rosa, A., Priyadarshani, N., Bradbury, L., & Marsland, S. (2019). Experimental test of birdcall detection by autonomous recorder units and by human observers using broadcast. *Ecology and Evolution*, 9(5), 2376-2397.
- Chen, X., Zhao, J., Chen, Y. H., Zhou, W., & Hughes, A. C. (2020). Automatic standardized processing and identification of tropical bat calls using deep learning approaches. *Biological Conservation*, 241, 108269.
- Darras, K., Batáry, P., Furnas, B. J., Grass, I., Mulyani, Y. A., & Tschardtke, T. (2019). Autonomous sound recording outperforms human observation for sampling birds: A systematic map and user guide. *Ecological Applications*, 29(6), e01954.
- Enari, H., Enari, H. S., Okuda, K., Maruyama, T., & Okuda, K. N. (2019). An evaluation of the efficiency of passive acoustic monitoring in detecting deer and primates in comparison with camera traps. *Ecological Indicators*, 98, 753-762.
- Gibb, R., Browning, E., Glover-Kapfer, P., & Jones, K. E. (2019). Emerging opportunities and challenges for passive acoustics in ecological assessment and monitoring. *Methods in Ecology and Evolution*, 10(2), 169-185.
- Kershenbaum, A., Owens, J. L., & Waller, S. (2019). Tracking cryptic animals using acoustic multilateration: A system for long-range wolf detection. *The Journal of the Acoustical Society of America*, 145(3), 1619-1628.
- Pérez-Granados, C., Bota, G., Giralt, D., Barrero, A., Gómez-Catasús, J., Bustillo-De La Rosa, D., & Traba, J. (2019). Vocal activity rate index: A useful method to infer terrestrial bird abundance with acoustic monitoring. *Ibis*, 161(4), 901-907.
- Pérez-Granados, C., Gómez-Catasús, J., Bustillo-de la Rosa, D., Barrero, A., Reverter, M., & Traba, J. (2019). Effort needed to accurately estimate vocal activity rate index using acoustic monitoring: A case study with a dawn-time singing passerine. *Ecological Indicators*, 107, 105608.

- Piña-Covarrubias, E., Hill, A. P., Prince, P., Snaddon, J. L., Rogers, A., & Doncaster, C. P. (2019). Optimization of sensor deployment for acoustic detection and localization in terrestrial environments. *Remote Sensing in Ecology and Conservation*, 5(2), 180-192.
- Prince, P., Hill, A., Piña Covarrubias, E., Doncaster, P., Snaddon, J. L., & Rogers, A. (2019). Deploying acoustic detection algorithms on low-cost, open-source acoustic sensors for environmental monitoring. *Sensors*, 19(3), 553.
- Sugai, L. S. M., & Llusia, D. (2019). Bioacoustic time capsules: Using acoustic monitoring to document biodiversity. *Ecological Indicators*, 99, 149-152.
- Sugai, L. S. M., Silva, T. S. F., Ribeiro Jr, J. W., & Llusia, D. (2019). Terrestrial passive acoustic monitoring: Review and perspectives. *BioScience*, 69(1), 15-25.
- Vu, T. T., & Tran, L. M. (2019). An application of autonomous recorders for gibbon monitoring. *International Journal of Primatology*, 40(2), 169-186.
- Wijers, M., Loveridge, A., Macdonald, D. W., & Markham, A. (2021). CARACAL: A versatile passive acoustic monitoring tool for wildlife research and conservation. *Bioacoustics*, 30(1), 41-57.
- Wood, C. M., Popescu, V. D., Klinck, H., Keane, J. J., Gutiérrez, R. J., Sawyer, S. C., & Peery, M. Z. (2019). Detecting small changes in populations at landscape scales: A bioacoustic site-occupancy framework. *Ecological Indicators*, 98, 492-507.

2020

- Benocci, R., Brambilla, G., Bisceglie, A., & Zambon, G. (2020). Eco-acoustic indices to evaluate soundscape degradation due to human intrusion. *Sustainability*, 12(24), 10455.
- Bradfer-Lawrence, T., Bunnefeld, N., Gardner, N., Willis, S. G., & Dent, D. H. (2020). Rapid assessment of avian species richness and abundance using acoustic indices. *Ecological Indicators*, 115, 106400.
- Brodie, S., Allen-Ankins, S., Towsey, M., Roe, P., & Schwarzkopf, L. (2020). Automated species identification of frog choruses in environmental recordings using acoustic indices. *Ecological Indicators*, 119, 106852.
- Brooker, S. A., Stephens, P. A., Whittingham, M. J., & Willis, S. G. (2020). Automated detection and classification of birdsong: An ensemble approach. *Ecological Indicators*, 117, 106609.
- Colonna, J. G., Carvalho, J. R. H., & Rosso, O. A. (2020). The Amazon rainforest soundscape characterized through Information Theory quantifiers. *bioRxiv*.
- Darras, K., Pérez, N., & Mauladi, T. H. D. (2020). BioSounds: an open-source, online platform for ecoacoustics. *F1000Research*, 9.
- de Araújo, C. B., Jardim, M., Saturnino, N. D. S., Rosa, G. M., Lima, M. R., & dos Anjos, L. (2021). The optimal listening period for an effective assessment of bird richness and composition: A case study of Neotropical forest. *Journal of Ornithology*, 162(1), 303-306.
- do Nascimento, L. A., Campos-Cerqueira, M., & Beard, K. H. (2020). Acoustic metrics predict habitat type and vegetation structure in the Amazon. *Ecological Indicators*, 117, 106679.
- Dobbins, M., Sollmann, R., Menke, S., Almeyda Zambrano, A., & Broadbent, E. (2020). An integrated approach to measure hunting intensity and assess its impacts on mammal populations. *Journal of Applied Ecology*, 57(11), 2100-2111.
- Ducretet, M., Forget, P. M., Ulloa, J. S., Yguel, B., Gaucher, P., Princé, K., ... & Sueur, J. (2020). Monitoring canopy bird activity in disturbed landscapes with automatic recorders: A case study in the tropics. *Biological Conservation*, 245, 108574.
- Crunchant, A. S., Borchers, D., Kühl, H., & Piel, A. (2020). Listening and watching: Do camera traps or acoustic sensors more efficiently detect wild chimpanzees in an open habitat? *Methods in Ecology and Evolution*, 11(4), 542-552.
- Franklin, M., Major, R. E., Bedward, M., & Bradstock, R. A. (2020). Establishing the adequacy of recorded acoustic surveys of forest bird assemblages. *Avian Conservation and Ecology*.

- Gan, H., Zhang, J., Towsey, M., Truskinger, A., Stark, D., van Rensburg, B. J., ... & Roe, P. (2020). Data selection in frog chorusing recognition with acoustic indices. *Ecological Informatics*, 60, 101160.
- Kvsn, R. R., Montgomery, J., Garg, S., & Charleston, M. (2020). Bioacoustics data analysis – A taxonomy, survey and open challenges. *IEEE Access*, 8, 57684-57708.
- Lin, T. H., & Tsao, Y. (2020). Source separation in ecoacoustics: A roadmap towards versatile soundscape information retrieval. *Remote Sensing in Ecology and Conservation*, 6(3), 236-247.
- Metcalf, O. C., Barlow, J., Devenish, C., Marsden, S., Berenguer, E., & Lees, A. C. (2021). Acoustic indices perform better when applied at ecologically meaningful time and frequency scales. *Methods in Ecology and Evolution*, 12(3), 421-431.
- Milchram, M., Suarez-Rubio, M., Schröder, A., & Bruckner, A. (2020). Estimating population density of insectivorous bats based on stationary acoustic detectors: A case study. *Ecology and Evolution*, 10(3), 1135-1144.
- Owen, K., Melin, A., Campos, F., Fedigan, L., Gillespie, T., & Mennill, D. (2020). Bioacoustic analyses reveal that bird communities recover with forest succession in tropical dry forests. *Avian Conservation and Ecology*, 15(1).
- Pérez-Granados, C., Barrero, A., Traba, J., Bustillo-de La Rosa, D., Reverter, M., & Gómez-Catasús, J. (2021). Assessment of cue counting for estimating bird density using passive acoustic monitoring: Recommendations for estimating a reliable cue rate. *Avian Conservation & Ecology*, 16, 1.
- Pérez-Granados, C., Bota, G., Giralt, D., Barrero, A., Gómez-Catasús, J., Bustillo-De La Rosa, D., & Traba, J. (2019). Vocal activity rate index: A useful method to infer terrestrial bird abundance with acoustic monitoring. *Ibis*, 161(4), 901-907.
- Rappaport, D. I., Royle, J. A., & Morton, D. C. (2020). Acoustic space occupancy: Combining ecoacoustics and lidar to model biodiversity variation and detection bias across heterogeneous landscapes. *Ecological Indicators*, 113, 106172.
- Ruff, Z. J., Lesmeister, D. B., Duchac, L. S., Padmaraju, B. K., & Sullivan, C. M. (2020). Automated identification of avian vocalizations with deep convolutional neural networks. *Remote Sensing in Ecology and Conservation*, 6(1), 79-92.
- Sánchez-Giraldo, C., Bedoya, C. L., Morán-Vásquez, R. A., Isaza, C. V., & Daza, J. M. (2020). Ecoacoustics in the rain: Understanding acoustic indices under the most common geophonic source in tropical rainforests. *Remote Sensing in Ecology and Conservation*, 6(3), 248-261.
- Sethi, S. S., Jones, N. S., Fulcher, B. D., Picinali, L., Clink, D. J., Klinck, H., ... & Ewers, R. M. (2020). Characterizing soundscapes across diverse ecosystems using a universal acoustic feature set. *Proceedings of the National Academy of Sciences*, 117(29), 17049-17055.
- Smith, D. G., Truskinger, A., Roe, P., & Watson, D. M. (2020). Do acoustically detectable species reflect overall diversity? A case study from Australia's arid zone. *Remote Sensing in Ecology and Conservation*, 6(3), 286-300.
- Stewart, L., Tozer, D., McManus, J., Berrigan, L., & Drake, K. (2020). Integrating wetland bird point count data from humans and acoustic recorders. *Avian Conservation and Ecology*, 15(2).
- Stowell, D., & Sueur, J. (2020). Ecoacoustics: Acoustic sensing for biodiversity monitoring at scale. *Remote Sensing in Ecology and Conservation*, 6(3), 217-219.
- Thomas, R., & Davison, S. (2020). Passive acoustic monitoring and automated analysis as an alternative to trapping for monitoring species richness and seasonal swarming behaviour of *Myotis* bats. *Authorea Preprints*.
- Tuneu-Corral, C., Puig-Montserrat, X., Flaquer, C., Mas, M., Budinski, I., & López-Baucells, A. (2020). Ecological indices in long-term acoustic bat surveys for assessing and monitoring bats' responses to climatic and land-cover changes. *Ecological Indicators*, 110, 105849.

- Vidaña-Vila, E., Navarro, J., Alsina-Pages, R. M., & Ramírez, Á. (2020). A two-stage approach to automatically detect and classify woodpecker (Fam. Picidae) sounds. *Applied Acoustics*, 166, 107312.
- Wood, C. M., Kahl, S., Chaon, P., Peery, M. Z., & Klinck, H. (2021). Survey coverage, recording duration and community composition affect observed species richness in passive acoustic surveys. *Methods in Ecology and Evolution*, 12(5), 885-896.
- Wood, C. M., Klinck, H., Gustafson, M., Keane, J. J., Sawyer, S. C., Gutiérrez, R. J., & Peery, M. Z. (2021). Using the ecological significance of animal vocalizations to improve inference in acoustic monitoring programs. *Conservation Biology*, 35(1), 336-345.
- Yip, D. A., Knight, E. C., Haave-Audet, E., Wilson, S. J., Charchuk, C., Scott, C. D., ... & Bayne, E. M. (2020). Sound level measurements from audio recordings provide objective distance estimates for distance sampling wildlife populations. *Remote Sensing in Ecology and Conservation*, 6(3), 301-315.
- Znidarsic, E., & Watson, D. M. (2022). Acoustic restoration: Using soundscapes to benchmark and fast-track recovery of ecological communities. *Ecology Letters*.

2021

- Andrews, C., & Dick, J. (2021). The potential use of acoustic indices for biodiversity monitoring at long-term ecological research (LTER) sites: A summary of current knowledge, equipment and methods. *UK Centre for Ecology & Hydrology, Technical Report*.
- Bedoya, C. L., & Molles, L. E. (2021). Acoustic censusing and individual identification of birds in the wild. *bioRxiv*.
- Bermant, P. C. (2021). BioCPPNet: Automatic bioacoustic source separation with deep neural networks. *Scientific Reports*, 11(1), 1-13.
- Blake, J. G. (2021). Acoustic monitors and direct observations provide similar but distinct perspectives on bird assemblages in a lowland forest of eastern Ecuador. *PeerJ*, 9, e10565.
- Boullhesen, M., Vaira, M., Barquez, R. M., & Akmentins, M. S. (2021). Evaluating the efficacy of visual encounter and automated acoustic survey methods in anuran assemblages of the Yungas Andean forests of Argentina. *Ecological Indicators*, 127, 107750.
- Bravo Sanchez, F. J., Hossain, M. R., English, N. B., & Moore, S. T. (2021). Bioacoustic classification of avian calls from raw sound waveforms with an open-source deep learning architecture. *Scientific Reports*, 11(1), 1-12.
- Campos, I. B., Fewster, R., Truskinger, A., Towsey, M., Roe, P., Vasques Filho, D., ... & Gaskett, A. (2021). Assessing the potential of acoustic indices for protected area monitoring in the Serra do Cipó National Park, Brazil. *Ecological Indicators*, 120, 106953.
- Chen, Y. F., Luo, Y., Mammides, C., Cao, K. F., Zhu, S., & Goodale, E. (2021). The relationship between acoustic indices, elevation, and vegetation, in a forest plot network of southern China. *Ecological Indicators*, 129, 107942.
- Clink, D. J., & Klinck, H. (2021). Unsupervised acoustic classification of individual gibbon females and the implications for passive acoustic monitoring. *Methods in Ecology and Evolution*, 12(2), 328-341.
- Diepstraten, J., & Willie, J. (2021). Assessing the structure and drivers of biological sounds along a disturbance gradient. *Global Ecology and Conservation*, 31, e01819.
- Do Nascimento, L. A., Pérez-Granados, C., & Beard, K. H. (2021). Passive acoustic monitoring and automatic detection of diel patterns and acoustic structure of howler monkey roars. *Diversity*, 13(11), 566.
- Dröge, S., Martin, D. A., Andriafanomezantsoa, R., Burivalova, Z., Fulgence, T. R., Osen, K., ... & Kreft, H. (2021). Listening to a changing landscape: Acoustic indices reflect bird species richness and plot-scale vegetation structure across different land-use types in north-eastern Madagascar. *Ecological Indicators*, 120, 106929.

- Duarte, M. H. L., Sousa-Lima, R. S., Young, R. J., Vasconcelos, M. F., Bittencourt, E., Scarpelli, M. D. A., ... & Pieretti, N. (2021). Changes on soundscapes reveal impacts of wildfires in the fauna of a Brazilian savanna. *Science of the Total Environment*, 769, 144988.
- Dufourq, E., Durbach, I., Hansford, J. P., Hoepfner, A., Ma, H., Bryant, J. V., ... & Turvey, S. T. (2021). Automated detection of Hainan gibbon calls for passive acoustic monitoring. *Remote Sensing in Ecology and Conservation*, 7(3), 475-487.
- Favaro, L., Cresta, E., Friard, O., Ludynia, K., Mathevon, N., Pichegru, L., ... & Gamba, M. (2021). Passive acoustic monitoring of the endangered African Penguin (*Spheniscus demersus*) using autonomous recording units and ecoacoustic indices. *Ibis*, 163(4), 1472-1480.
- Flowers, C., Le Tourneau, F. M., Merchant, N., Heidorn, B., Ferriere, R., & Harwood, J. (2021). Looking for the-scape in the sound: Discriminating soundscapes categories in the Sonoran Desert using indices and clustering. *Ecological Indicators*, 127, 107805.
- Francomano, D., Gottesman, B. L., & Pijanowski, B. C. (2021). Biogeographical and analytical implications of temporal variability in geographically diverse soundscapes. *Ecological Indicators*, 121, 106794.
- Gan, H., Zhang, J., Towsey, M., Truskinger, A., Stark, D., Van Rensburg, B. J., ... & Roe, P. (2021). A novel frog chorusing recognition method with acoustic indices and machine learning. *Future Generation Computer Systems*, 125, 485-495.
- Goodwin, K. R., & Gillam, E. H. (2021). Testing accuracy and agreement among multiple versions of automated bat call classification software. *Wildlife Society Bulletin*.
- Gottesman, B. L., Olson, J. C., Yang, S., Acevedo-Charry, O., Francomano, D., Martinez, F. A., ... & Pijanowski, B. C. (2021). What does resilience sound like? Coral reef and dry forest acoustic communities respond differently to Hurricane Maria. *Ecological Indicators*, 126, 107635.
- Graf, L., & Hatlauf, J. (2021). Distance estimation of howling golden jackals (*Canis aureus*) using relative sound level. *Mammal Research*, 66(4), 567-572.
- Holgate, B., Maggini, R., & Fuller, S. (2021). Mapping ecoacoustic hot spots and moments of biodiversity to inform conservation and urban planning. *Ecological Indicators*, 126, 107627.
- Kadish, D., & Stoy, K. (2022). BioAcoustic Index Tool: Long-term biodiversity monitoring using on-sensor acoustic index calculations. *Bioacoustics*, 31(3), 348-378.
- Karlsson, E. C. M., Tay, H., Imbun, P., & Hughes, A. C. (2021). The Kinabalu Recorder, a new passive acoustic and environmental monitoring recorder. *Methods in Ecology and Evolution*, 12(11), 2109-2116.
- Keen, S. C., Odom, K. J., Webster, M. S., Kohn, G. M., Wright, T. F., & Araya-Salas, M. (2021). A machine learning approach for classifying and quantifying acoustic diversity. *Methods in Ecology and Evolution*, 12(7), 1213-1225.
- Law, B., Kerr, I., Gonsalves, L., Brassil, T., Eichinski, P., Truskinger, A., & Roe, P. (2022). Mini-acoustic sensors reveal occupancy and threats to koalas, *Phascolarctos cinereus*, in private native forests. *Journal of Applied Ecology*, 59(3), 835-846.
- López-Baucells, A., Yoh, N., Rocha, R., Bobrowiec, P. E., Palmeirim, J. M., & Meyer, C. F. (2021). Optimizing bat bioacoustic surveys in human-modified Neotropical landscapes. *Ecological Applications*, 31(6), e02366.
- López-Hernández, D. C. (2021). Soundscape structure of the Carite state forest in Puerto Rico before and after the 2017 hurricane season. *Caribbean Journal of Science*, 51(1), 65-71.
- Madhusudhana, S., Shiu, Y., Klinck, H., Fleishman, E., Liu, X., Nosal, E. M., ... & Roch, M. A. (2021). Improve automatic detection of animal call sequences with temporal context. *Journal of the Royal Society Interface*, 18(180), 20210297.
- Melo, I., Llusia, D., Bastos, R. P., & Signorelli, L. (2021). Active or passive acoustic monitoring? Assessing methods to track anuran communities in tropical savanna wetlands. *Ecological Indicators*, 132, 108305.

- Metcalf, O. C., Barlow, J., Marsden, S., Gomes de Moura, N., Berenguer, E., Ferreira, J., & Lees, A. C. (2022). Optimizing tropical forest bird surveys using passive acoustic monitoring and high temporal resolution sampling. *Remote Sensing in Ecology and Conservation*, 8(1), 45-56.
- Oliveira, E. G., Ribeiro, M. C., Roe, P., & Sousa-Lima, R. S. (2021). The Caatinga orchestra: Acoustic indices track temporal changes in a seasonally dry tropical forest. *Ecological Indicators*, 129, 107897.
- Pérez-Granados, C., Barrero, A., Traba, J., Bustillo-de La Rosa, D., Reverter, M., & Gómez-Catasús, J. (2021). Assessment of cue counting for estimating bird density using passive acoustic monitoring: Recommendations for estimating a reliable cue rate. *Avian Conservation and Biology*, 16(1), 11.
- Pérez-Granados, C., & Schuchmann, K. L. (2021). Passive acoustic monitoring of the diel and annual vocal behavior of the Black and Gold Howler Monkey. *American Journal of Primatology*, 83(3), e23241.
- Pérez-Granados, C., & Schuchmann, K. L. (2021). Passive acoustic monitoring of Chaco Chachalaca (*Ortalis canicollis*) over a year: Vocal activity pattern and monitoring recommendations. *Tropical Conservation Science*, 14, 19400829211058295.
- Pérez-Granados, C., & Traba, J. (2021). Estimating bird density using passive acoustic monitoring: A review of methods and suggestions for further research. *Ibis*, 163(3), 765-783.
- Roe, P., Eichinski, P., Fuller, R. A., McDonald, P. G., Schwarzkopf, L., Towsey, M., ... & Watson, D. M. (2021). The Australian acoustic observatory. *Methods in Ecology and Evolution*, 12(10), 1802-1808.
- Romero-Mujalli, D., Bergmann, T., Zimmermann, A., & Scheumann, M. (2021). Utilizing DeepSqueak for automatic detection and classification of mammalian vocalizations: A case study on primate vocalizations. *Scientific Reports*, 11(1), 1-15.
- Ross, S. R. J., Friedman, N. R., Yoshimura, M., Yoshida, T., Donohue, I., & Economo, E. P. (2021). Utility of acoustic indices for ecological monitoring in complex sonic environments. *Ecological Indicators*, 121, 107114.
- Rowe, B., Eichinski, P., Zhang, J., & Roe, P. (2021). Acoustic auto-encoders for biodiversity assessment. *Ecological Informatics*, 62, 101237.
- Ruff, Z. J., Lesmeister, D. B., Appel, C. L., & Sullivan, C. M. (2021). Workflow and convolutional neural network for automated identification of animal sounds. *Ecological Indicators*, 124, 107419.
- Sadhukhan, S., Root-Gutteridge, H., & Habib, B. (2021). Identifying unknown Indian wolves by their distinctive howls: Its potential as a non-invasive survey method. *Scientific Reports*, 11(1), 1-13.
- Sánchez-Giraldo, C., Ayram, C. C., & Daza, J. M. (2021). Environmental sound as a mirror of landscape ecological integrity in monitoring programs. *Perspectives in Ecology and Conservation*, 19(3), 319-328.
- Scarpelli, M. D., Liquet, B., Tucker, D., Fuller, S., & Roe, P. (2021). Multi-index ecoacoustics analysis for terrestrial soundscapes: A new semi-automated approach using time-series motif discovery and random forest classification. *Frontiers in Ecology and Evolution*, 9, 1-14.
- Scarpelli, M. D., Ribeiro, M. C., & Teixeira, C. P. (2021). What does Atlantic Forest soundscapes can tell us about landscape? *Ecological Indicators*, 121, 107050.
- Shaw, T., Hedes, R., Sandstrom, A., Ruete, A., Hiron, M., Hedblom, M., ... & Mikusiński, G. (2021). Hybrid bioacoustic and ecoacoustic analyses provide new links between bird assemblages and habitat quality in a winter boreal forest. *Environmental and Sustainability Indicators*, 11, 100141.

- Stevenson, B. C., van Dam-Bates, P., Young, C. K., & Measey, J. (2021). A spatial capture–recapture model to estimate call rate and population density from passive acoustic surveys. *Methods in Ecology and Evolution*, 12(3), 432-442.
- Yip, D. A., Mahon, C. L., MacPhail, A. G., & Bayne, E. M. (2021). Automated classification of avian vocal activity using acoustic indices in regional and heterogeneous datasets. *Methods in Ecology and Evolution*, 12(4), 707-719.
- Zhong, M., Taylor, R., Bates, N., Christey, D., Basnet, H., Flippin, J., ... & Ferres, J. L. (2021). Acoustic detection of regionally rare bird species through deep convolutional neural networks. *Ecological Informatics*, 64, 101333.
- Zwerts, J. A., Treep, J., Kaandorp, C. S., Meewis, F., Koot, A. C., & Kaya, H. (2021). Introducing a central african primate vocalisation dataset for automated species classification. *arXiv preprint*, 2101.10390.

2022

- Cretois, B., Sethi, S. S., & Rosten, C. (2022). Automated speech detection in eco-acoustic data enables privacy protection and human disturbance quantification. *bioRxiv*.
- Dale, S. S., Jenkins, J., Ruff, Z. J., Duchac, L. S., McCafferty, C. E., & Lesmeister, D. B. (2022). Distinguishing sex of northern spotted owls With passive acoustic monitoring. *Journal of Raptor Research*.
- Diepstraten, J., Kuenbou, J. K., & Willie, J. (2022). Methods to measure biological sounds and assess their drivers in a tropical forest. *MethodsX*, 101619.
- Folliot, A., Hauptert, S., Ducretet, M., Sèbe, F., & Sueur, J. (2022). Using acoustics and artificial intelligence to monitor pollination by insects and tree use by woodpeckers. *Science of the Total Environment*, 155883.
- Jahn, P., Ross, J. G., MacKenzie, D. I., & Molles, L. E. (2022). Acoustic monitoring and occupancy analysis: Cost-effective tools in reintroduction programmes for roroa-great spotted kiwi. *New Zealand Journal of Ecology*, 46(1), 3466.
- Keen, S. C., Wackett, A. A., Willenbring, J., Yoo, K., Jonsson, H., Clow, T., & Klaminder, J. (2022). Non-native species change the tune of tundra soils: Novel access to soundscapes of the Arctic earthworm invasion. *Science of The Total Environment*, 155976.
- Luypaert, T., Bueno, A. S., Masseli, G. S., Kaefer, I. L., Campos-Cerqueira, M., Peres, C. A., & Haugaasen, T. (2022). A framework for the quantification of soundscape diversity using Hill numbers. *bioRxiv*.
- Mancini, M. C. S., Hintze, F., de Souza Laurindo, R., de Macêdo Mello, R., & Gregorin, R. (2022). Tradition vs. innovation: comparing bioacoustics and mist-net results to bat sampling. *Bioacoustics*, 1-19.
- Markolf, M., Zinowsky, M., Keller, J. K., Borys, J., Cillov, A., & Schülke, O. (2022). Toward passive acoustic monitoring of lemurs: Using an affordable open-source system to monitor *Phaner* vocal activity and density. *International Journal of Primatology*, 1-25.
- Quinn, C. A., Burns, P., Gill, G., Baligar, S., Snyder, R. L., Salas, L., ... & Clark, M. L. (2022). Soundscape classification with convolutional neural networks reveals temporal and geographic patterns in ecoacoustic data. *Ecological Indicators*, 138, 108831.
- Rajan, S. C., Dominic, L., Vishnu, M., Athira, K., Sooraj, N. P., & Jaishanker, R. (2022). Surrogacy of post natural disaster acoustic indices for biodiversity assessment. *Environmental Challenges*, 6, 100420.
- Rappaport, D. I., Swain, A., Fagan, W. F., Dubayah, R., & Morton, D. C. (2022). Animal soundscapes reveal key markers of Amazon forest degradation from fire and logging. *Proceedings of the National Academy of Sciences*, 119(18), e2102878119.
- Stowell, D. (2022). Computational bioacoustics with deep learning: A review and roadmap. *PeerJ*, 10, e13152.

- Whiting, J. C., Doering, B., & Aho, K. (2022). Can acoustic recordings of cave-exiting bats in winter estimate bat abundance in hibernacula? *Ecological Indicators*, 137, 108755.
- Wu, S. H., Chang, H. W., Lin, R. S., & Tuanmu, M. N. (2022). SILIC: A cross database framework for automatically extracting robust biodiversity information from soundscape recordings based on object detection and a tiny training dataset. *Ecological Informatics*, 68, 101534.
- Zwerts, J. A., Wieggers, J. Y., Sterck, E. H. M., & van Kuijk, M. M. (2022). Exploring spatio-temporal variation in soundscape saturation of an African tropical forest landscape. *Ecological Indicators*, 137, 108712.